



SKY DIAGNOSTICS

Quality you can trust...

📍 C-7, Kiran Garden, Opp. Metro Pillar No. 717,
Uttam Nagar, New Delhi- 110059
☎ 011-43011300
🕒 +91-8287187685
✉ reportsofsky@gmail.com
skydiagnosticsdelhi@gmail.com
🌐 www.skydiagnostics.in

To
Delhi Pollution Control Committee
Department of Environment, Govt of NCT of Delhi
4th Floor, ISBT building, Kashmere Gate, Delhi – 110006.

(ENQUIRY COUNTER)
DELHI POLLUTION CONTROL
COMMITTEE
DEPARTMENT OF ENVIRONMENT
GOVT. OF NCT OF DELHI
4TH FLOOR, ISBT BUILDING,
KASHMERE GATE, DELHI-110006

Sub: Submission of annual BMW report

Dear Sir,

I am here by submitting the annual biomedical waste report for the year 2022 with all documents. Please find the attachments.


Dr Amit Gupta

Director

SKY DIAGNOSTICS PVT. LTD.
C-7, Kiran Garden,
Uttam Nagar,
New Delhi-110059

Sky Diagnostics Pvt Ltd

C7- Kiran Garden, Uttam Nagar

Delhi 110059

Delhi

13-02-2023

To

Delhi Pollution Control Committee

Department of Environment, Govt of NCT of Delhi

4th Floor, ISBT building, Kashmere Gate, Delhi – 110006.

Sub: Submission of annual BMW report

Dear Sir,

I am here by submitting the annual biomedical waste report for the year 2022 with all documents. Please find the attachments.



Dr Amit Gupta

Director

SKY DIAGNOSTICS PVT. LTD.
C-7, Kiran Garden,
Uttam Nagar,
New Delhi-110059

Sky Diagnostics Pvt Ltd

C7- Kiran Garden, Uttam Nagar

Delhi 110059

Delhi

13-02-2023

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	DR AMIT GUPTA
	(ii) Name of HCF or CBMWTF	:	SKY DIAGNOSTICS PVT LTD
	(iii) Address for Correspondence	:	C-7, KIRAN GARDEN, UTTAM NAGAR
	(iv) Address of Facility	:	NEW DELHI - 110059
	(v) Tel. No, Fax. No	:	011-43011300
	(vi) E-mail ID	:	skydiagnosticsdelhi@gmail.com
	(vii) URL of Website	:	www.skydiagnostics.in
	(viii) GPS coordinates of HCF or CBMWTF	:	Available on Google maps.
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: DPCC(11)(5)(01) / 2019 BMW/NST/AUTH/1504779 DE 23/07/2019. Valid upto: NA
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: NA
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: NA
	(ii) Non-bedded hospital	:	Clinical laboratory and Diagnostic center
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	NA
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	NA
	(ii) No. of Beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	_____ Kg / day NA
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	_____ Kg / day NA
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 1.26 x 12 Red Category: 4.15 x 12 White: 0.16 x 12 Blue Category: 0.08 x 12 General Solid Waste: NA
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	:	
	(i) Details of the on-site storage	:	Size: NA

	facility	Capacity:																																																	
		Provision of on-site storage : (Cold storage or any other provision)																																																	
(ii)	Disposal facilities		<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of Units</th> <th>Capacity Kg/day</th> <th>Quantity Treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td rowspan="13">↑</td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td></td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td>NA</td> <td></td> <td></td> </tr> <tr> <td>Sharps</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Encapsulation or concrete pit</td> <td rowspan="5">↓</td> <td></td> <td></td> </tr> <tr> <td>Deep burial pits</td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum	Incinerators	↑			Plasma Pyrolysis			Autoclaves			Microwave			Hydroclave			Shredder			Needle tip cutter or destroyer	NA			Sharps				Encapsulation or concrete pit	↓			Deep burial pits			Chemical disinfection:			Any other treatment equipment:						
				Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum																																												
				Incinerators	↑																																														
				Plasma Pyrolysis																																															
				Autoclaves																																															
				Microwave																																															
				Hydroclave																																															
				Shredder																																															
				Needle tip cutter or destroyer		NA																																													
				Sharps																																															
				Encapsulation or concrete pit		↓																																													
				Deep burial pits																																															
				Chemical disinfection:																																															
Any other treatment equipment:																																																			
(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) NA																																																
(iv)	No. of Vehicles used for collection and transportation of biomedical waste	:	NA																																																
(v)	Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity Generated	Where disposed																																														
			Incineration	↑	↑																																														
			Ash	NA	NA																																														
			ETP Sludge	↓	↓																																														
(vi)	Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		SMS Watergace BMW Pvt Ltd .																																																
(vii)	List of member HCF not handed over bio-medical waste.		NA																																																
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		No .																																																

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		03
	(ii) Number of personnel trained		10
	(iii) Number of personnel trained at the time of induction		02 (New joining)
	(iv) Number of personnel not undergone any training so far		None
	(v) Whether standard manual for training is available?		-
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Nil
	(ii) Number of persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		NA
	(iv) Any Fatality occurred, details		Nil
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Liquid waste is treated with 1% Sodium hypochlorite and pH is maintained Never.
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Yes Never.
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator) NA.

Certified that the above report is for the period from 01-01-2022 to 31-12-2022.



DR. AMIT GUPTA

Name and Signature of the Head of the Institution

Date: 13/02/2023
Place: Uttam Nagar, Delhi

SKY DIAGNOSTICS PVT. LTD.
C-7, Kisan Garden,
Uttam Nagar,
New Delhi-110059

SKY DIAGNOSTICS PVT LTD
C-7, KIRAN GARDEN, UTTAM NAGAR, NEW DELHI-110059



40023097

Years: 2022

Month	Yellow Nos	Yellow Wt	Red Nos	Red Wt	White nos	White Wt	Blue Nos	Blue Wt	Total Nos	Total Wt
Jan-22	2	5.50	5	3.10	0	0.00	0	0.00	7	8.60
Feb-22	2	1.50	6	3.80	0	0.00	0	0.00	8	5.30
Mar-22	2	1.20	4	3.40	0	0.00	0	0.00	6	4.60
Apr-22	1	0.40	3	3.60	0	0.00	0	0.00	4	4.00
May-22	1	0.70	3	5.00	0	0.00	0	0.00	4	5.70
Jun-22	0	0.00	4	4.90	0	0.00	0	0.00	4	4.90
Jul-22	1	0.40	6	7.20	0	0.00	0	0.00	7	7.60
Aug-22	0	0.00	5	8.20	0	0.00	0	0.00	5	8.20
Sep-22	0	0.00	1	0.70	0	0.00	0	0.00	1	0.70
Oct-22	4	3.50	3	3.00	0	0.00	0	0.00	7	6.50
Nov-22	1	1.00	4	3.50	1	2.00	1	1.00	7	7.50
Dec-22	2	1.00	4	3.50	0	0.00	0	0.00	6	4.50
Total	16	15.20	48	49.90	1	2.00	1	1.00	66	68.10

SKY DIAGNOSTICS PVT. LTD.
C-7, Kiran Garden,
Uttam Nagar,
New Delhi-110059



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

visit us at: <https://dpccomms.nic.in>

(AUTHORIZATION UNDER BIO MEDICAL WASTE MANAGEMENT RULES, 2016)

File number of authorization : DPCC/(11)(5)(01)/2019/BMW/NST/AUTH/1504779

Application No: 551751

Date:23/07/2019

1. M/s SKY DIAGNOSTICS PVT LTD an occupier of the facility located at C-7, KIRAN GARDEN, UTTAM NAGAR, NEW DELHI-110059 is hereby granted this authorization (one time) for Generation, Segregation, Storage, of Biomedical Waste at the above mentioned premises and for Transportation, Treatment and Disposal of Bio-Medical Waste through Common Bio-Medical Waste Treatment Facility (CBMWTF) authorized by Delhi Pollution Control Committee (DPCC).
2. **Quantity of Biomedical waste handled : 0.20 (Kg/day)**
3. This authorization to HCF, being a non-bedded hospital, is issued until the status of HCF is changed or the authorisation is cancelled/ suspended for non-compliance of Bio-Medical Waste Management Rules, 2016 or for any other reason under the law.
4. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

AJEETA DAYAL AGRAWAL
Digitally signed by AJEETA DAYAL AGRAWAL
Date: 2019.07.23 21:54:55 +05'30'
Signature.....
Designation

-:-Terms and Conditions:-:-

1. The occupier shall comply with the provisions of Bio-Medical Waste Management Rules, 2016 as amended to date.
2. The authorization or its renewal shall be produced for inspection at the request of any officer authorized by DPCC.
3. The occupier shall ensure that bio-medical waste is not mixed with other wastes and is segregated into containers /bags at the point of generation in accordance with Schedule-I (part I).
4. The occupier shall have a valid agreement with the operator of a facility authorized by DPCC for collection, transportation, treatment & disposal of the bio-medical waste.
5. The Occupier shall hand over the bio-medical waste to the authorized operator of a facility timely and duly segregated, labelled, tagged and kept in proper containers for the collection, transportation, treatment & disposal as per Rules.
6. The occupier shall inform the prescribed authority immediately in case the operator of facility does not collect the bio-medical waste with in the intended time or as per the agreed time.
7. The occupier shall maintain records of the Bio-Medical Waste generated and disposed off. The record shall be made available, for inspection & verification, to any officer authorized by DPCC.
8. In case of any major accident involving Bio-Medical Waste, the occupier shall report the accident in Form-I, prescribed under the Rules, to DPCC.
9. In case the occupier is having a DG Set, he shall comply with the noise standards laid down vide Gazette Notification of Ministry of Environment and Forest (MOEF), Government of India Dated 17.05.2002 and